

| N. | Descrizione It | Description en | Description fr | Beschreibung de | Descripción es | Descrição pt |
|-----|----------------------------------|--|--------------------------------------|---|-----------------------------------|-----------------------------------|
| | 33-125SV..B (180 °C) | | | | | |
| 1 | Motore | Motor | Moteur | Motor | Motor | Motor |
| 2 | Lanterna | Adaptor | Lanterne | Motorlaterne | Adaptador | Adaptador |
| 4 | Tappi | Plugs | Bouchons | Stopfen | Tapones | Tampões |
| 5 | Disco porta tenuta | Seal housing plate | Disque de support garniture | Dichtungsdeckel | Disco de alojamiento sello | Disco porta-vedante |
| 6 | Testata HT | Head HT | Tête Ht | Kopf HT | Cabezal HT | Cabeça HT |
| 7 | Molla | Spring | Ressort | Feder | Muelle | Mola |
| 8 | Girante ridotta | Reduced impeller | Roue réduite | Lauftrad, reduzierter Durchmesser | Rodete, reducido | Impulsor reduzido |
| 9 | Girante piena | Full impeller | Roue pleine | Lauftrad, voller Durchmesser | Rodete, completo | Impulsor completo |
| 10 | Camicia | Sleeve | Chemise | Gehäuse | Camisa | Camisa |
| 10A | Camicia per camera HT | Sleeve for chamber HT | Chemise pour chambre HT | Laufbuchse für Kammer HT | Camisa para cámara HT | Camisa para câmara HT |
| 11 | Albero | Shaft | Arbre | Welle | Árbol | Veio |
| 14 | Corpo pompa | Pump body | Corps de pompe | Pumpengehäuse | Caja bomba | Corpo da bomba |
| 15 | Diffusore boccola carbone | Diffuser carbon bush | Diffuseur douille carbone | Diffusor und Büchse, Kohle | Difusor casquillo carbón | Difusor bucha carvão |
| 16 | Diffusore finale | Last stage diffuser | Diffuseur dernier étage | Enddiffusor | Difusor final | Difusor final |
| 20 | Kit tenuta mecc. + OR | Mechanical seal + OR kit | Kit garniture mec. + joints toriques | Gleitringdichtung + O-Ring [Satz] | Kit sello mec. + junta tórica | Kit vedante mec. + OR |
| 21 | Kit guarnizioni OR | O ring kit | Kit joints toriques | Dichtungssatz | Kit juntas tóricas | Kit guarnições OR |
| 23 | Anello sollevamento | Lifting ring | Anneau de levage | Huböse | Anillo de elevación | Anel de suspensão |
| 26 | Kit coppia di semigiunti | Pair of half coupling kit | Kit paire de demi-manchons | Kupplung [Satz] | Kit par de semijuntas | Kit par de semi-juntas |
| 27 | Kit protezione giunto | Coupling guard kit | Kit protection manchon | Kupplungsschutz [Satz] | Kit protección junta | Kit protecção junta |
| 28 | Kit tamburo reggispinta | Thrust drum kit | Kit tambour butée | Drucklagerscheibe [Satz] | Kit tambor de empuje | Kit tambor de impulso |
| 29 | Kit bloccaggio giranti | Impeller locking kit | Kit blocage roues | Lauftrad Halt [Satz] | Kit bloqueo rodetes | Kit bloqueio impulsores |
| 30 | Kit bussola tenuta | Bush seal kit | Kit douille garniture | Gleitringdichtungsarretierung und mitnehmer | Kit casquillo sello | Kit bucha vedante |
| 31 | Kit tiranti | Tie rods kit | Kit tirants | Zugstangen [Satz] | Kit tirantes | Kit tirantes |
| 32 | Kit supporto boccola Widia | Support tungsten bush kit | Kit support douille Widia | Widia Halterung [Satz] | Kit soporte casquillo Widia | Kit suporte com tungstênio bucha |
| 33 | Kit diffusore boccola Widia | Diffuser tungsten bush kit | Kit diffuseur douille Widia | Diffusor mit Widia Büchse [Satz] | Kit difusor casquillo Widia | Kit difusor com tungstênio bucha |
| 34 | Kit parti di usura | Wear parts kit | Kit parties d'usure | Verschleißteile [Satz] | Kit piezas de desgaste | Kit peças desgastáveis |
| 35 | Anello per camicie | Sleeve ring | Anneau pour chemises | Ringhülse | Anillo para camisas | Anel para camisas |
| 39 | Eliminatore aria | Air Vent | Purgeur d'Air | Luft-Entlüfter | Purgador de Aire | Purgador de ar |
| 40 | Kit distanziali per albero | Kit spacers for shaft | Kit entretoises pour arbre | Distanzstücken für Welle [Satz] | Kit distanciadores para eje | Kit distanciadores para eixo |
| 41 | Flangia per camera HT | Flange for chamber HT | Bride pour chambre HT | Flansch für Kammer HT | Brida para cámara HT | Flange para câmara HT |
| 42 | Kit distanziali per camera HT | Kit spacers for chamber HT | Kit entretoises pour chambre HT | Distanzstücken für Kammer HT [Satz] | Kit distanciadores para cámara HT | Kit distanciadores para câmara HT |
| HT | Alta Temperatura | High Temperature | Haute Température | Hochtemperatur | Altas Temperaturas | Temperatura Elevada |
| N. | Beschrijving nl | Περιγραφή el | Açıklama tr | Kuvas fi | Описание ru | Opis pl |
| | 33-125SV..B (180 °C) | | | | | |
| 1 | Motor | Πλήρης κινητήρας | Motor | Moottori | Двигатель | Silnik |
| 2 | Lantaanstuk | Μπρακέτο | Adaptör | Sovitin | Крестовина | Piasta |
| 4 | Pluggen | Σετ ταψών | Tapalar | Tulpat | Пробки | Zatyczki |
| 5 | Dichtingssteunplaat | Δίσκος μηχανικού στυπιοθλίκτη | Sızdırmazlık elemanı disk | Tiivsteen kannatuslevy | Пластина держателя прокладки | Tarcza uszczelki |
| 6 | Kop HT | Κεφαλή HT | Kafa HT | Johtaja HT | Головка HT | Głowica HT |
| 7 | Veer | Έλασμα | Yay | Jousi | Пружина | Sprężyna |
| 8 | Waaier met verkleinde diameter | Πτερόγιο μειωμένης διαμέτρου | Küçük boylu pompa rotoru | Pieni juoksupyörä | Уменьшенное рабочее колесо | Wirnik niepełny |
| 9 | Volle waaier | Πτερόγιο πλήρους διαμέτρου | Tam boyulu pompa rotoru | Täydellinen juoksupyörä | Полное рабочее колесо | Wirnik pełny |
| 10 | Mantel | Κέλυφος | Gömlek | Muhvi | Муфта | Plaszcz |
| 10A | Mantel voor kamer HT | Κέλυφος για Θάλαμος HT | Gömlek kamera HT | Muhvi kammio HT | Кашуля для Камера HT | Plaszcz do komora HT |
| 11 | As | Άξονας | Mil | Akseli | Вал | Wał |
| 14 | Pomphuis | Σώμα αντλίας | Pompa gövdesi | Pumpun runko | Корпус насоса | Korpus pompy |
| 15 | Diffusor koollager | Πτερόγιο εκτροπής με κουζινέτο | Karbon burçlu difüzör | Diffuusori ja hiiliholkki | Диффузор втулки угля | Dyfuzytor tulejki węgla |
| 16 | Diffusor laatste trap | Τελευταίο πτερόγιο εκτροπής | Son difüzör | Loppuvaiheen diffuusori | Конечный диффузор | Dyfuzytor końcowy |
| 20 | Set mech. asafdichting + O-ring | Μηχανικός στυπιοθλίκτης και ροδέλες στεγανοποίησης | Mekanik salmastra kiti + O-Ring | Mek. tiiviste + O-rengassarja | Комплект мех.прокладки + OR | Zestaw uszcz. mech. + OR |
| 21 | Set O-ringafdichtingen | Σετ ροδέλες στεγανοποίησης | O-Ring kiti | O-rengassarja | Комплект кольцевых прокладок OR | Zestaw uszczelkek OR |
| 23 | Hijs ring | Άρση δαχτυλίδι | Cihaz Kaldırma | Nostorengas | Подъемные кольца | Pierścienie noszenia |
| 26 | Set koppelingsheften | Σετ σταθερού συνδέσμου | Çift yarım manşon kiti | Liitinsarja | Комплект пары полумуфт | Zestaw pary półzłączy |
| 27 | Set koppelingsbescherming | Όμματα προστασίας σταθερού συνδέσμου | Manşon koruma kiti | Liitoksen suojarja | Комплект защиты муфт | Zestaw ochronny złącza |
| 28 | Set druklagertrommel | Σετ ωστικού εμβόλου | Basınç yatağı tambur kiti | Rumpusarja | Комплект упорного барабана | Testaw bębna łożyska oporowego |
| 29 | Set waaierblokkeringen | Σετ ασφάλισης πτερωτών | Pompa rotorlarını sabitleme kiti | Juoksupyörien kiinnitysarja | Комплект блокировки раб. колес | Zestaw blokujący wirniki |
| 30 | Set afdichtingsbus | Σετ κουζινέτου μηχανικού στυπιοθλίκτη | Sızdırmazlık elemanı burcu kiti | Holkki ja tiiviste | Комплект втулки уплотнения | Zestaw busoli uszczel. |
| 31 | Set trekstangen | Σετ ράβδων σύνδεσης | Gergi çubuğu kiti | Vetotankosarja | Комплект тяг | Zestaw napinaczy |
| 32 | Set Widia steunbus | Σετ κάτω κουζινέτου | Tungsten burç mesnedi kiti | Kannatin ja kovametalliholkki | Комплект опоры втулки Widia | Zestaw wspornika tulejki Wolfram |
| 33 | Set Widia diffusorbus | Υγίου εκτροπής με κουζινέτο και δακτύλα | Tungsten burçlu difüzör kiti | Diffuusori ja kovametalliholkki | Комплект диффузоравтулки Widia | Zestaw dyfuzora tulejki Wolfram |
| 34 | Set slijtonderdelen | Σετ δακτυλίων τριβής | Aşınma parçaları kiti | Kulumisiosien sarja | Комплект изнашиваемых частей | Zestaw części podł. zużyciu |
| 35 | Ring voor mantels | Σύνδεσμος κελύφων | Muhvirengas | Muhvirengas | Кольцо муфты | Pierścienie do płaszczy |
| 39 | Ontluchters | Αεραγωγός | Hava boşaltma deliği | Ilma venttiilin | Выход воздуха | Powietrza ujście |
| 40 | Set afstandsstukken des as | Σετ αποστάτες για τον άξονα | Milî için ara halkası Kiti | Välilevyt akselin sarja | Комплект распорки для вал | Zestaw dystansowa dla wał |
| 41 | Flens des kamer HT | εξέχων γύρος για τον Θάλαμος HT | Flans Kamera HT | Laippa kammio HT | Фланец Камера HT | kołnierz, komora HT |
| 42 | Set afstandsstukken des kamer HT | Σετ αποστάτες για τον Θάλαμος HT | Ara parçalar Kamera HT Kiti | Välilevyt kammio HT sarja | Комплект распорки для Камера HT | Zestaw dystansowa dla komora HT |
| HT | Hoge Temperaturen | Υψηλής θερμοκρασίας | Yüksek isi | Korkea lämpötila | Высокая температура | Wysokiej Temperatury |

Production date > July12

33SVNB 2 Pole

| ELP 2 P, 3 ~ | | | | | | | | | | |
|--------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------|-------------------|-------------------|----------------|
| N - Version | 33SV1/1ANB | 33SV1NB | 33SV2/2ANB | 33SV2/1ANB | 33SV2NB | 33SV3/2ANB | 33SV3/1ANB | 33SV3NB | 33SV4/2ANB | 33SV4/1ANB |
| T -> | 10157001W | 10157002W | 10157003W | 10157004W | 10157005W | 10157006W | 10157007W | 10157008W | 10157009W | 10157010W |
| | 33SV4NB | 33SV5/2ANB | 33SV5/1ANB | 33SV5NB | 33SV6/2ANB | 33SV6/1ANB | 33SV6NB | 33SV7/2ANB | 33SV7/1ANB | 33SV7NB |
| T -> | 10157011W | 10157012W | 10157013W | 10157014W | 10157015W | 10157016W | 10157017W | 10157018W | 10157019W | 10157020W |
| | 33SV8/2ANB | 33SV8/1ANB | 33SV8NB | 33SV9/2ANB | 33SV9/1ANB | 33SV9NB | | | | |
| T -> | 10157021W | 10157022W | 10157023W | 10157024W | 10157025W | 10157026W | | | | |
| Motor power | 2,2 | 3,0 | 4,0 | 4,0 | 5,5 | 5,5 | 7,5 | 7,5 | 7,5 | 11,0 |
| kw > | 11,0 | 11,0 | 11,0 | 15,0 | 15,0 | 15,0 | 15,0 | 15,0 | 18,5 | 18,5 |
| | 18,5 | 18,5 | 22,0 | 22,0 | 22,0 | 22,0 | | | | |

Single Unit and Kit

| Stages > | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 10 Sleeve PN40 | 156408600 | 156408610 | 156408620 | 156408630 | 156408640 | 156408650 | 156408660 | 156408670 | 156408680 |
| 10A Sleeve chamber H | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 |
| 11 Shaft | 165045650 | 165045660 | 165045670 | 165045680 | 165045690 | 165045700 | 165045710 | 165045720 | 165045730 |
| 31 Tie rods kit SVN D16 | KL22AAV | KL22AAW | KL22AAX | KL22AAY | KL22AAZ | KL22AAO | KL22AA1 | KL22AA2 | KL22AA3 |

Motor, Coupling, Adaptor

| **1 | kw > | 2,2 | 3,0 | 4,0 | 5,5 | 7,5 | 11,0 | 15,0 | 18,5 | 22,0 |
|--------------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Motor 2P, 3 ~> | | 50001RD00 | 50002RF00 | 50008VG00 | 50013VE00 | 50017VB00 | 50019VE00 | 50024VB00 | 50025VB00 | 50026VE00 |
| 2 Adaptor | | 161453600 | 161453620 | 161453620 | 161453640 | 161453640 | 161453660 | 161453660 | 161453660 | 161453660 |
| 23 Lifting bracket | | - | - | - | 161441050 | 161441050 | 161441060 | 161441060 | 161441060 | 161441060 |
| 26 Coupling | KL10AAA | KL10AAB | KL10AAB | KL10AAC | KL10AAC | KL10AAC | KL10AAD | KL10AAD | KL10AAD | KL10AAE |
| 27 Coupling guard | KL33AAA | KL33AAA | KL33AAA | KL33AAB | KL33AAB | KL33AAC | KL33AAC | KL33AAC | KL33AAC | KL33AAC |
| 39 Air Vent | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE |

Wear parts, pump body

| | ->33SV4 | ->33SV5 | ->33SV9 |
|----------------------|-----------|-----------|-----------|
| drum, impeller stop, | 1 bearing | 2 bearing | 2 bearing |
| impeller locking | no drum | no drum | drum |
| * 34 Wear Parts Kit | KL35AA9 | KL35ABA | KL35ABB |
| 14 Pump body | PN25-40 | 151302020 | 151302020 |
| 28 Drum | EPDM HT | - | KL41AA9 |
| | FPM | - | KL41AAD |
| 29 Impeller locking | KL41AAG | KL41AAG | - |

Mech seal D22 + OR

| | | | | |
|-----|--------------|---------|---------|----------------------------|
| *20 | Materials -> | Q1AEGG | KL01AEW | STD -> Q1AEGG - OR EPDM HT |
| | | Q1AVGG | KL01AEX | |
| | | Q1Q1VGG | KL01AC3 | |

Common, Single Unit and Kit

| | | | | |
|-----|----------------------------|---------|-----------|---|
| 4 | Plugs | EPDM HT | KL34AAY | |
| 5 | Seal housing plate | | 160102850 | |
| 6 | Upper head | | 161440020 | |
| 7 | Spring | | 169100190 | |
| *8 | Reduced impeller A | | 150702820 | |
| *9 | Full impeller | | 150702740 | |
| 15 | Diffuser carbon bush | | 152801800 | |
| *21 | OR | EPDM HT | KL02ACB | 1-2 Sleeve With Elastomers for Drum Pumps 33-46SV |
| 30 | Bush seal | | KL41AA8 | |
| 32 | Support tungsten bush SVN | | KL16AAE | |
| *33 | Diffuser tungsten bush | | KL05AC6 | From 33SV4, included |
| 35 | Sleeve ring | | - | |
| 40 | Kit spacers for shaft | | KL07AAC | |
| 41 | Flange for chamber HT | | 160103812 | |
| 42 | Kit spacers for chamber HT | | KL07AAF | |

* Recommended spare parts - Parti di ricambio consigliate

* Pièces détachées conseillées - Empfohlene Ersatzteile

** Motor spare parts: see motor lists - Parti di ricambio motore: vedi liste motore

** Pièces détachées Moteur : voir listes moteur - Motor-Ersatzteile: gem. Motorlisten

3392SV_NB_5_July12_EdA

46SVNB 2 Pole

| ELP 2 P, 3 ~ | | | | | | | | | | |
|----------------------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| N - Version T ~ > | 46SV1/1ANB | 46SV1NB | 46SV2/2ANB | 46SV2NB | 46SV3/2ANB | 46SV3NB | 46SV4/2ANB | 46SV4NB | 46SV5/2ANB | 46SV5NB |
| | 10157201W | 10157202W | 10157203W | 10157204W | 10157205W | 10157206W | 10157207W | 10157208W | 10157209W | 10157210W |
| | 46SV6/2ANB | 46SV6NB | 46SV7/2ANB | 46SV7NB | 46SV8/2ANB | 46SV8NB | 46SV9/2ANB | 46SV9NB | | |
| T ~ > | 10157211W | 10157212W | 10157213W | 10157214W | 10157215W | 10157216W | 10157217W | 10157218W | | |
| Motor power kW > | 3.0 | 4.0 | 5.5 | 7.5 | 11.0 | 11.0 | 15.0 | 15.0 | 18.5 | 18.5 |
| | 22.0 | 22.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 37.0 | | |

Single Unit and Kit

| Stages > | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|----------|----------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 10 | Sleeve PN40 | 156408600 | 156408610 | 156408620 | 156408630 | 156408640 | 156408650 | 156408660 | 156408670 | 156408680 |
| 10A | Sleeve chamber | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 | 156408600 |
| 11 | Shaft | 165045650 | 165045660 | 165045670 | 165045680 | 165045680 | 165045690 | 165045700 | 165045710 | 165045730 |
| 31 | Tie rods kit SVN D16 | KL22AAV | KL22AAW | KL22AAX | KL22AAY | KL22AAZ | KL22AA0 | KL22AA1 | KL22AA2 | KL22AA3 |

Motor, Coupling, Adaptor

| | | | | | | | | | | | |
|-----|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| **1 | Motor power > | 3.0 | 4.0 | 5.5 | 7.5 | 11.0 | 15.0 | 18.5 | 22.0 | 30.0 | 37.0 |
| | Motor 2P, 3~> | 50002RF00 | 50008VG00 | 50013VE00 | 50017VB00 | 50019VE00 | 50024VB00 | 50025VB00 | 50026VE00 | 107242100 | 107242200 |
| 2 | Adaptor | 161453620 | 161453620 | 161453640 | 161453640 | 161453660 | 161453660 | 161453660 | 161453660 | 161453680 | 161453680 |
| 23 | Lifting bracket | - | - | 161441050 | 161441050 | 161441060 | 161441060 | 161441060 | 161441060 | 161441070 | 161441070 |
| 26 | Coupling | KL10AAB | KL10AAB | KL10AAC | KL10AAC | KL10AAD | KL10AAD | KL10AAD | KL10AAE | KL10AAF | KL10AAF |
| 27 | Coupling guard | KL33AAA | KL33AAA | KL33AAB | KL33AAB | KL33AAC | KL33AAC | KL33AAC | KL33AAC | KL33AAC | KL33AAC |
| 39 | Air Vent | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE | KL38AAE |

Wear parts, pump body drum, impeller stop, impeller locking

| | | ->46SV3 | ->46SV4 | ->46SV9 |
|-----|-------------------|----------------------|-------------------|-------------------|
| | | 1 bearing no drum | 1 bearing drum | 2 bearing drum |
| *34 | Wear Parts Kit | KL35ABE | KL35ABX | KL35ABG |
| 14 | Pump body PN16-40 | 151302060 | 151302060 | 151302060 |
| 28 | Drum | EPDM HT | - | KL41ABA |
| | | FPM | - | KL41AAE |
| 29 | Impeller locking | KL41AAG | - | - |

Mech seal D22 + OR

| | | | | |
|-----|--------------|---------|---------|----------------------------|
| *20 | Materials -> | Q1AEGG | KL01AEW | STD -> Q1AEGG - OR EPDM HT |
| | | Q1AVGG | KL01AEX | |
| | | Q1Q1VGG | KL01AC3 | |

Common, Single Unit and Kit

| | | | | |
|-----|----------------------------|---------|-----------|---|
| 4 | Plugs | EPDM HT | KL34AAY | |
| 5 | Seal housing plate | | 160102850 | |
| 6 | Upper head | | 161440020 | |
| 7 | Spring | | 169100190 | |
| *8 | Reduced impeller A | | 150702830 | |
| *9 | Full impeller | | 150702750 | |
| 15 | Diffuser carbon bush | | 152801810 | |
| *21 | OR | EPDM HT | KL02ACB | 1-2 Sleeve With Elastomers for Drum Pumps 33-46SV |
| 30 | Bush seal | | KL41AA8 | |
| 32 | Support tungsten bush SVN | | KL16AAF | |
| *33 | Diffuser tungsten bush | | KL05AC7 | From 46SV5, included |
| 35 | Sleeve ring | | - | |
| 40 | Kit spacers for shaft | | KL07AAC | |
| 41 | Flange for chamber HT | | 160103812 | |
| 42 | Kit spacers for chamber HT | | KL07AAF | |

* Recommended spare parts - Parti di ricambio consigliate

* Pièces détachées conseillées - Empfohlene Ersatzteile

** Motor spare parts: see motor lists - Parti di ricambio motore: vedi liste motore

** Pièces détachées Moteur : voir listes moteur - Motor-Ersatzteile: gem. Motorlisten

3392SV_NB_5_July12_EdA

66SVNB 2 Pole

Production date > July12

| ELP 2 P, 3 ~ | | | | | | | | | | |
|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| N - Version | 66SV1/1ANB | 66SV1NB | 66SV2/2ANB | 66SV2/1ANB | 66SV2NB | 66SV3/2ANB | 66SV3/1ANB | 66SV3NB | 66SV4/2ANB | 66SV4/1ANB |
| T ~ > | 10157401W | 10157402W | 10157403W | 10157404W | 10157405W | 10157406W | 10157407W | 10157408W | 10157409W | 10157410W |
| | 66SV4NB | 66SV5/2ANB | 66SV5/1ANB | 66SV5NB | 66SV6/2ANB | 66SV6/1ANB | 66SV6NB | 66SV7/2ANB | 66SV7/1ANB | 66SV7NB |
| T ~ > | 10157411W | 10157412W | 10157413W | 10157414W | 10157415W | 10157416W | 10157417W | 10157418W | 10157419W | 10157420W |
| Motor power | 4.0 | 5.5 | 7.5 | 11.0 | 11.0 | 15.0 | 15.0 | 18.5 | 18.5 | 22.0 |
| kW > | 22.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 37.0 | 37.0 | 37.0 | 45.0 |

Single Unit and Kit

| Stages > | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 10 Sleeve PN40 | 156408750 | 156408760 | 156408770 | 156408780 | 156408790 | 156408800 | 156408810 |
| 10A Sleeve chamber | 156408832 | 156408832 | 156408832 | 156408832 | 156408832 | 156408832 | 156408832 |
| 11 Shaft | 165045380 | 165045390 | 165045680 | 165045410 | 165045420 | 165045430 | 165045440 |
| 31 Tie rods kit SVN D16 | L=390 | L=480 | L=570 | L=660 | L=750 | KL22AXQ | L=930 |

Motor, Coupling, Motor Adaptor

| **1 | kW > | 4.0 | 5.5 | 7.5 | 11.0 | 15.0 | 18.5 | 22.0 | 30.0 | 37.0 | 45.0 |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------|
| Motor 2P, 3~ > | 50008VG00 | 50013VE00 | 50017VB00 | 50019VE00 | 50024VB00 | 50025VB00 | 50026VE00 | 107242100 | 107242200 | 107242300 | |
| 2 Adaptor | 161453620 | 161453640 | 161453640 | 161453660 | 161453660 | 161453660 | 161453660 | 161453680 | 161453680 | 161453700 | |
| 23 Lifting bracket | - | 161441050 | 161441050 | 161441060 | 161441060 | 161441060 | 161441060 | 161441070 | 161441070 | 161441070 | |
| 26 Coupling | KL10AAB | KL10AAC | KL10AAC | KL10AAD | KL10AAD | KL10AAD | KL10AAE | KL10AAF | KL10AAF | KL10AAF | |
| 27 Coupling guard | KL33AAA | KL33AAB | KL33AAB | KL33AAC | KL33AAC | KL33AAC | KL33AAC | KL33AAC | KL33AAC | KL33AAC | |
| 39 Air Vent | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | |

Wear parts, pump body

| | -> 66SV2 | -> 66SV3 | -> 66SV6 | -> 66SV7 |
|-------------------------------|-----------|-----------|-----------|-----------|
| drum (piston), impeller halt, | 1 bearing | 1 bearing | 2 bearing | 3 bearing |
| impeller locking | no drum | drum | drum | drum |
| *34 Wear Parts kit | KL35ABL | KL35ABY | KL35ABM | KL35ABP |
| 14 Pump body PN25 | 151302120 | 151302120 | 151302120 | 151302120 |
| 28 Drum | EPDM HT | - | KL41ABB | KL41ABB |
| | FPM | - | KL41AAF | KL41AAF |
| 29 Impeller locking | KL41AAG | - | - | - |

Mechanical seal D22 + OR

| | | | | |
|-----|--------------|---------|---------|----------------------------|
| *20 | Materials -> | Q1AEGG | KL01AEW | STD -> Q1AEGG - OR EPDM HT |
| | | Q1AVGG | KL01AEX | |
| | | Q1Q1VGG | KL01AC3 | |

Common, Single Unit and Kit

| | | | |
|-----|----------------------------|---------|----------------------|
| 4 | Plugs | EPDM HT | KL34AAY |
| 5 | Seal housing plate | | 160102850 |
| 6 | Upper head | | 161440040 |
| 7 | Spring | | 169100210 |
| *8 | Reduced impeller A | | 150702840 |
| *9 | Full impeller | | 150702760 |
| 15 | Diffuser carbon bush | | 152801820 |
| *21 | OR | EPDM HT | KL02ACC |
| 30 | Bush seal | | KL41AA8 |
| 32 | Support tungsten bush SVN | | KL16AAG |
| *33 | Diffuser tungsten bush | | KL05AC8 |
| | | | From 66SV4, included |
| 40 | Kit spacers for shaft | | KL07AAD |
| 41 | Flange for chamber HT | | 160103812 |
| 42 | Kit spacers for chamber HT | | KL07AAF |

* Recommended spare parts - Parti di ricambio consigliate

* Pièces détachées conseillées - Empfohlene Ersatzteile

** Motor spare parts: see motor lists - Parti di ricambio motore: vedi liste motore

** Pièces détachées Moteur : voir listes moteur - Motor-Ersatzteile: gem. Motorlisten

33925V_NB_5_July12_EdA

92SVNB 2 Pole

Production date > July12

| ELP 2 P, 3 ~ | | 92SV1/1ANB | 92SV1NB | 92SV2/2ANB | 92SV2NB | 92SV3/2ANB | 92SV3NB | 92SV4/2ANB | 92SV4NB | 92SV5/2ANB | 92SV5NB |
|---------------------|-------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| N - Version | T ~ > | 10157601W | 10157602W | 10157603W | 10157604W | 10157605W | 10157606W | 10157607W | 10157608W | 10157609W | 10157610W |
| | T ~ > | 10157611W | 10157612W | 10157613W | | | | | | | |
| Motor power kW > | | 5.5 | 7.5 | 11.0 | 15.0 | 18.5 | 22.0 | 30.0 | 30.0 | 37.0 | 37.0 |
| | | 45.0 | 45.0 | 45.0 | | | | | | | |

Single Unit and Kit

| Stages > | | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|----------|----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 10 | Sleeve, PN40 | 156408750 | 156408760 | 156408770 | 156408780 | 156408790 | 156408800 | 156408810 |
| 10A | Sleeve chamber | 156408832 | 156408832 | 156408832 | 156408832 | 156408832 | 156408832 | 156408832 |
| 11 | Shaft | 165045380 | 165045390 | 165045680 | 165045410 | 165045420 | 165045430 | 165045440 |
| 31 | Tie rods kit SVN D16 --> KL22 | L=390 | L=480 | L=570 | L=660 | L=750 | KL22AXQ | L=930 |

Motor, Coupling, Motor Adaptor

| **1 | kW -> | 5.5 | 7.5 | 11.0 | 15.0 | 18.5 | 22.0 | 30.0 | 37.0 | 45.0 |
|-----|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Mot. 2P, 3~ -> | 50013VE00 | 50017VB00 | 50019VE00 | 50024VB00 | 50025VB00 | 50026VE00 | 107242100 | 107242200 | 107242300 |
| 2 | Adaptor | 161453640 | 161453640 | 161453660 | 161453660 | 161453660 | 161453660 | 161453680 | 161453680 | 161453700 |
| 23 | Lifting bracket | 161441050 | 161441050 | 161441060 | 161441060 | 161441060 | 161441060 | 161441070 | 161441070 | 161441070 |
| 26 | Coupling | KL10AAC | KL10AAC | KL10AAD | KL10AAD | KL10AAD | KL10AAE | KL10AAF | KL10AAF | KL10AAF |
| 27 | Coupling guard | KL33AAB | KL33AAB | KL33AAC | KL33AAC | KL33AAC | KL33AAC | KL33AAC | KL33AAC | KL33AAC |
| 39 | Air Vent | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF | KL38AAF |

Wear parts, pump body

| | | ->92SV2 | ->92SV3 | ->92SV6 | ->92SV8 |
|-----|--|----------------------|-------------------|-------------------|-------------------|
| | drum, impeller stop, impeller locking | 1 bearing no drum | 1 bearing drum | 2 bearing drum | 3 bearing drum |
| *34 | Wear parts Kit | KL35ABR | KL35ABZ | KL35ABT | KL35ABV |
| 14 | Pump body | PN25-40 | 151302120 | 151302120 | 151302120 |
| 28 | Drum | EPDM HT | - | KL41ABB | KL41ABB |
| | | FPM | - | KL41AAF | KL41AAF |
| 29 | Impeller locking | KL41AAG | - | - | - |

Mechanical seal D22 + OR

| | | | | |
|-----|--------------|---------|---------|----------------------------|
| *20 | Materials -> | Q1AEGG | KL01AEW | STD -> Q1AEGG - OR EPDM HT |
| | | Q1AVGG | KL01AEX | |
| | | Q1Q1VGG | KL01AC3 | |

Common, Single Unit and Kit

| | | | |
|-----|----------------------------|---------|----------------------|
| 4 | Plugs | EPDM HT | KL34AAY |
| 5 | Seal housing plate | | 160102850 |
| 6 | Upper head | | 161440040 |
| 7 | Spring | | 169100210 |
| *8 | Reduced impeller A | | 150702850 |
| *9 | Full impeller | | 150702770 |
| 15 | Diffuser carbon bush | | 152801830 |
| *21 | OR | EPDM HT | KL02ACC |
| 30 | Bush seal | | KL41AA8 |
| 32 | Support tungsten bush SVN | | KL16AAH |
| *33 | Diffuser tungsten bush | | KL05AC9 |
| | | | From 92SV4, included |
| 40 | Kit spacers for shaft | | KL07AAD |
| 41 | Flange for chamber HT | | 160103812 |
| 42 | Kit spacers for chamber HT | | KL07AAF |

* Recommended spare parts - Parti di ricambio consigliate

* Pièces détachées conseillées - Empfohlene Ersatzteile

** Motor spare parts: see motor lists - Parti di ricambio motore: vedi liste motore

** Pièces détachées Moteur : voir listes moteur - Motor-Ersatzteile: gem. Motorlisten

3392SV_NB_5_July12_EdA